

Appl. No 10/759,370

Amdt. Dated 10/12/2005

Reply to Office action of 09/08/2005

5

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

10

Listing of Claims:

1. (Currently amended) A [LED] light emitting diode display having a light guide plate, comprising:

15 a [LED] light emitting diode display provided at a side with a display screen for displaying characters or graphics;

[a] the light guide plate being light-transmission and disposed in the front of the [LED] light emitting diode display in corresponding to the display screen;

20 at least a light source, which has a luminous portion, after assembly, the luminous portion corresponds to the light guide plate and being able to project light into the light guide plate;

in this manner, the light of the light source can reflect in the light guide plate and can pass through the light guide plate [it], so as to form light

screen for providing an effect of multi-layer optical display.

2. (Currently amended) The [LED] light emitting diode display having [a] the light guide plate as claimed in claim 1, wherein the light source is a light emitting diode type lamp ~~LED Lamp~~.

5 3. (Currently amended) The [LED] light emitting diode display having [a] the light guide plate as claimed in claim 1, wherein the light source is a surface mounted type lamp ~~SMD Lamp~~.

10 4. (Currently amended) The [LED] light emitting diode display having [a] the light guide plate as claimed in claim 1, wherein the [LED] light emitting diode display is disposed on a circuit board, and the light source is electrically connected to the circuit board.

15 5. (Currently amended) The [LED] light emitting diode display having [a] the light guide plate as claimed in claim 1, wherein the LED display is disposed on a circuit board, and the light source is inserted in the circuit board.

6. (Currently amended) The [LED] light emitting diode display having [a] the light guide plate as claimed in claim 1, wherein the luminous portion of the light source corresponds to a side of the light guide plate, such that light can be projected into the light guide plate via the side.

20 7. (Currently amended) The [LED] light emitting diode display having [a] the light guide plate as claimed in claim 1, wherein a front surface of the light guide plate is defined as a main visual screen, whereas the main visual screen is provided at both sides with extension, and a reflection plane is

defined between the main visual screen and the extension, such that the light of the light source can be projected via the extension into the light guide plate, and then projected on the main visual screen after being reflected by the reflection plane.

5